ALLRESIST



Safety data sheet according to 1907/2006/EC, Article 31

Page 1/10

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: <u>AR-P 3250 T</u>
- Article number: AR-P 3250 T
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture
- Intermediate product for the electronics industry. For industrial and commercial use only.
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
- Allresist GmbH Am Biotop 14 15344 Strausberg GERMANY

E-Mail: info@allresist.de Tel.: +49 3341 35 93 0

- · Further information obtainable from: Sales
- 1.4 Emergency telephone number: Poison center of the Charité Berlin: +4930 30686700 E-Mail: giftnotruf@charite.de

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.*

(Contd. on page 2)

GB

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

Hazard pictogra	(Contd. of page
	ims
<u> </u>	
GHS02 GHS	807
Signal word Wa	rning
Hazard-determi	ining components of labelling:
	thylethyl acetate
Hazard stateme	
H226 Flammab	le liquid and vapour.
H315 Causes sk	
H336 May caus	e drowsiness or dizziness.
Precautionary s	tatements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. N smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P321	Specific treatment (see on this label).
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional info	
	ains bis[4-(2,3-epoxypropoxy)phenyl]propane. May produce an allergic reaction.
2.3 Other hazar	de

- *PBT:* Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Initial C of Substances intervention with noninaziar dous dualitons.Dangerous components:CAS: 108-65-6
EINECS: 203-603-92-methoxy-1-methylethyl acetate
O Flam. Liq. 3, H226; O STOT SE 3, H33650-100%CAS: 68510-93-0
EINECS: 270-931-7Naphthochinondiazid
O Flam. Sol. 1, H228; Self-react. C, H242; O Skin Irrit. 2, H315; Eye
Irrit. 2, H319; Aquatic Chronic 3, H412 $\geq 2.5 < 10\%$

(Contd. on page 3)

[·] Description: Mixture of substances listed below with nonhazardous additions.

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

Trade name: AR-P 3250 T

	(0	Contd. of page 2)
CAS: 1143-72-2	2,3,4-trihydroxybenzophenone	≥0-<2.5%
EINECS: 214-540-1	𝒠 Skin Irrit. 2, H315; STOT SE 3, H335; Aquatic Chronic 3, H412	
CAS: 1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	<i>≥</i> 0.25-<1%
EINECS: 216-823-5	Aquatic Chronic 2, H411; (1) Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
	Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5 \%$ Skin Irrit. 2; H315: $C \ge 5 \%$	
CAS: 1319-77-3	cresol (mix)	<1%
EINECS: 215-293-2	♦ Acute Tox. 3, H301; Acute Tox. 3, H311; ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318	
· Additional informati	ion: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- *After skin contact: Immediately wash with water and soap and rinse thoroughly.*
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions:

- Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

Printing date 12.12.2021

Revision: 12.12.2021

Trade name: AR-P 3250 T

(Contd. of page 3)

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

• 7.2 Conditions for safe storage, including any incompatibilities

• Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

• Recommended storage temperature: 10-18°C

• Storage class (TRGS): 3

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

108-65-62	-methoxy-1-methylethyl ace	tate		
	t-term value: 548 mg/m ³ , 100			
Long Sk	g-term value: 274 mg/m³, 50 j	ррт		
DNELs		4		
	<i>e-methoxy-1-methylethyl ace</i>			
Oral	DNEL Long-term - oral, sys		1.67 mg/kg_bw/day (rat)	
Dermal	DNEL Long-term – dermal,	5 00	153.5 mg/kg_bw/day (rat)	
Inhalative	DNEL long-term - inhalation local effects		33 mg/m ³ (rat)	
	DNEL Long-term – inhalation, systemic effects		275 mg/m³/day (rat)	
DNEL Acute - inhalation, lo		cal effects	2,420 mg/m ³ (rat)	
1675-54-3	bis[4-(2,3-epoxypropoxy)ph	enyl]propane		
Dermal DNEL Long-term – dermal,		systemic effects	8.33 mg/kg_bw/day (Worker)	
DNEL Acute - dermal system		nic effects	8.33 mg/kg bw/day (Worker)	
Inhalative	DNEL Long-term – inhalation, systemic effects		12.25 mg/m³/day (Worker)	
DNEL Acute inhalation syst		emic effects	12.25 mg/m³ (Worker)	
PNECs			·	
108-65-62	e-methoxy-1-methylethyl ace	tate		
PNEC show	rt term, fresh water	0.635 mg/l (Aquati	c organisms)	
PNEC show	rt term, sea water	0.0635 mg/l (Aquatic organisms)		
PNEC show	rt term, sewage plant	100 mg/l (Aquatic organisms)		
PNEC short term fresh water sediment		3.29 mg/kg (Aquatic organisms)		
PNEC show	rt term soil	0.29 mg/kg (Aquat	ic organisms)	
PNEC show	rt term sea water sediment	0.329 mg/kg (Aqua	ttic organisms)	
PNEC show	rt term, intermittent releases	6.35 mg/l (Aquatic	organisms)	
		- · -		(Contd. on pag

Printing date 12.12.2021

· Colour:

· Odour:

• Odour threshold:

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

(Contd. on page 6)

GB

Trade name: AR-P 3250 T

1675-54-3 bis[4-(2,3-epoxypropoxy)ph	(Contd. of page
<i>PNEC short term, fresh water</i>	
·	0.006 mg/l (Aquatic organisms)
PNEC short term, sea water	0.001 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	
PNEC short term soil	0.065 mg/kg (Aquatic organisms)
PNEC short term sea water sediment	0.034 mg/kg (Aquatic organisms)
Additional information: The lists valid	during the making were used as basis.
8.2 Exposure controls	
Appropriate engineering controls No f	
Individual protection measures, such a	
General protective and hygienic measu	
Keep away from foodstuffs, beverages a Immediately remove all soiled and cont	
Wash hands before breaks and at the er	
Avoid contact with the skin.	······································
Avoid contact with the eyes and skin.	
Respiratory protection:	
	on use respiratory filter device. In case of intensive or longer exposi
use self-contained respiratory protective Hand protection	e device.
Hund protection	
The glove material has to be impermed.	ble and resistant to the product/ the substance/ the preparation.
	on to the glove material can be given for the product/ the preparation.
	consideration of the penetration times, rates of diffusion and t
degradation	
and varies from manufacturer to man	es not only depend on the material, but also on further marks of qual ufacturer. As the product is a preparation of several substances, i
application.	t be calculated in advance and has therefore to be checked prior to a
Penetration time of glove material	
The exact break through time has to be	e found out by the manufacturer of the protective gloves and has to
observed.	
Eye/face protection	
Tightly sealed goggles	
SECTION 9: Physical and chem	nical properties
9.1 Information on basic physical and General Information	chemical properties

Brown Ester-like

Not determined.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

Trade name: AR-P 3250 T

	(Contd. of page
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	,
range	145 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	1.5 Vol %
Upper:	10.8 Vol %
Flash point:	44 °C (108-65-6 2-methoxy-1-methylethyl acetate)
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
pH	Mixture is non-soluble (in water).
Viscosity:	mature is non soluble (in water).
Kinematic viscosity	Not determined.
	Not determined.
Dynamic:	Noi delerminea.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	
Vapour pressure at 20 °C:	3.1 hPa
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health a	ind
environment, and on safety.	
Ignition temperature:	315 °C
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	60.7 %
VOC (EC)	60.7-<60.74 %
Change in condition	00./~ \00./7 /0
Evaporation rate	Not determined.
Explosives	Void
Explosives Flammable gases	Void Void
Explosives Flammable gases Aerosols	Void Void Void
Explosives Flammable gases Aerosols Oxidising gases	Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases	Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Void Void Void Void Flammable liquid and vapour.
Information with regard to physical hazard clas. Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Void Void Void Flammable liquid and vapour. Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Void Void Void Flammable liquid and vapour. Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Flammable liquid and vapour. Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void Void Void Flammable liquid and vapour. Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable	Void Void Void Void Flammable liquid and vapour. Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Void Flammable liquid and vapour. Void Void Void Void Void Void e Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Flammable liquid and vapour. Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Flammable liquid and vapour. Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Flammable liquid and vapour. Void Void Void Void Void Void Void Void

Printing date 12.12.2021 Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

(Contd. of page 6)

GB

Trade name: AR-P 3250 T

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

 \cdot 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

· LD/LC50	· LD/LC50 values relevant for classification:				
ATE (Acu	ATE (Acute Toxicity Estimates)				
Oral	LD50	>502,419 mg/kg			
Dermal	LD50	>691,085 mg/kg			
108-65-62	108-65-6 2-methoxy-1-methylethyl acetate				
Oral	LD50	8,532 mg/kg (rat)			
68510-93-	68510-93-0 Naphthochinondiazid				
Oral	LD50	>5,000 mg/kg (rat)			
1675-54-3	1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane				
Oral	LD50	>5,000 mg/kg (rat)			
Dermal	LD50	>2,000 mg/kg (rat)			
1319-77-3	cresol	(mix)			
Oral	LD50	1,454 mg/kg (rat)			
Dermal	LD50	2,000 mg/kg (rabbit)			
Inhalative	LD50	1.21 mg/kg (rat)			
		ritation Causes skin irritation.			
		osure May cause drowsiness or dizziness.			
		n on other hazards			
		oting properties			
1675-54-3	bis[4-	-(2,3-epoxypropoxy)phenyl]propane	ist II		

SECTION 12: Ecological information

Aquatic to	xicity:		
108-65-62	2-methoxy-1-methyl	ethyl acetate	
Inhalative	LC50 (4h)	35.7 mg/l (rat)	
	LC50 (96h) mg/ltr.	35.7 mg/l (rat) >100 mg/ltr (Fish)	
		100-180 mg/ltr (Oncorhynchus mykiss)	

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

Trade name: AR-P 3250 T

			(Contd. of pag
		134 mg/ltr (rainbow tr	out)
	EC50 (48h)	408 mg/l (daphnia)	
	ErC50 (96h)	>1,000 mg/ltr (algae)	
	NOEC	100 mg/ml (daphnia)	
1675-54-	3 bis[4-(2,3-epoxyp	ropoxy)phenyl]propane	
	LC50 (96h) mg/ltr	. 1.5 mg/ltr (rainbow tro	out)
1319-77-	3 cresol (mix)		
	LC50 (96) ppm	19 ppm (Fish)	
· 12.2 Pers	istence and degrad	ability	
108-65-	6 2-methoxy-1-meth	nylethyl acetate	90 %
1675-54-	3 bis[4-(2,3-epoxyp	ropoxy)phenyl]propane	5 %
• Method			
108-65-6	2-methoxy-1-methy	vlethyl acetate 83	
		ial No further relevant in per relevant information of	
	ilts of PBT and vPv		
	t applicable.		
	ot applicable.		
. 176 End	ocrina discunting n	conartias For information	n on endocrine disrupting properties see section 11.

- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S. (2-methoxy-1 methylethyl acetate)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (2-methoxy-1 methylethyl acetate)

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

Trade name: AR-P 3250 T

	(Contd. of page
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	A
14.7 Maritime transport in bulk according to IM instruments	<i>IO</i> Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 1000 ml 3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (2-METHOX)
-	1-METHYLETHYL ACETATE), 3, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations:

• **VOC (EU)** 607-<607.4 g/l

(Contd. on page 10)

[—] GB

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

(Contd. of page 9)

Trade name: AR-P 3250 T

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

· Relevant phrases

H226 Flammable liquid and vapour.

H228 Flammable solid.

H242 Heating may cause a fire.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Quality Management department

· Contact: MSDS authorized Person

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Flam. Sol. 1: Flammable solids – Category 1 Self-react. C: Self-reactive substances and mixtures – Type C/D Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3