



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

Page 1/9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: <u>AR-P 642 series</u>
- · Article number: AR-P 642.04, AR-P 642.09, AR-P 642.12
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture
- Intermediate product for the electronics industry. For industrial and commercial use only.
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
- Allresist GmbH Am Biotop 14 15344 Strausberg GERMANY

*E-Mail: info@allresist.de Tel.:* +49 3341 35 93 0

- · Further information obtainable from: Sales
- 1.4 Emergency telephone number: Poison center of the Charité Berlin: +4930 30686700 E-Mail: giftnotruf@charite.de

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.

 $(Contd. \ on \ page \ 2)$ 

GB

*Printing date 12.12.2021* 

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

Trade name: AR-P 642 series (Contd. of page 1) · Hazard pictograms GHS07 GHS02 · Signal word Warning · Hazard-determining components of labelling: anisole · Hazard statements H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. · Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241 *Use explosion-proof [electrical/ventilating/lighting] equipment.* P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable.

• vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

 $\cdot$  **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:		
CAS: 100-66-3	anisole	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336, EUH066	<i>≥50-≤100%</i>
EINECS: 202-876-1		• 1	
Additional information. East the wording of the listed har and physics refer to section 16			

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- *General information:* Immediately remove any clothing soiled by the product.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. (Contd. on page 3)

- GB

*Printing date 12.12.2021* 

#### Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

(Contd. of page 2)

Trade name: AR-P 642 series

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.* 

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

#### **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- *Recommended storage temperature:* 10-22°C
- Storage class (TRGS): 3
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Printing date 12.12.2021

Trade name: AR-P 642 series

	(Contd. of page 3)
· DNELs	
100-66-3 anisole	
Inhalative DNEL Long-term – inhalati	on, systemic effects 20 mg/m <sup>3</sup> /day (Worker)
· PNECs	
100-66-3 anisole	
PNEC short term, fresh water	0.027 mg/l (Aquatic organisms)
PNEC short term, sea water	0.0027 mg/l (Aquatic organisms)
PNEC short term, sewage plant	30 mg/l (Aquatic organisms)
PNEC short term fresh water sediment	0.745 mg/kg (Aquatic organisms)
PNEC short term soil	0.133 mg/kg (teresstric organismens)
PNEC short term sea water sediment	0.0745 mg/kg (Aquatic organisms)
PNEC short term, intermittent releases	0.27 mg/l (Aquatic organisms)
• Additional information: The lists valid	during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

- General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

• *Respiratory protection:* 

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

(Contd. on page 5)

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

Trade name: AR-P 642 series

(Contd. of page 4)

9.1 Information on basic physical and chemical p	roperties
General Information	1
Physical state	Fluid
Colour:	Colourless
Odour:	Aromatic
Odour threshold:	Not determined.
Melting point/freezing point:	-37 °C
Boiling point or initial boiling point and boiling	
range	154 °C
Flammability	Not applicable.
Lower and upper explosion limit	11
Lower:	Not determined.
Upper:	Not determined.
Flash point:	45.5 °C
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
pH	Mixture is non-soluble (in water).
Viscosity:	namme is non source (in mater).
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	1.07 werel hullen.
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 25 °C:	4.7 hPa
	4.7 nF a
Density and/or relative density	Not determined.
Density: Relative density	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	d
environment, and on safety.	
Ignition temperature:	475 °C
Explosive properties:	Product is not explosive. However, formation
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	87.9-95.9 %
VOC (EC)	87.85-95.9 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	6
Explosives Elammable gases	Void Void
Flammable gases	
Aerosols	Void Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void

(Contd. on page 6)

<sup>-</sup> GB -

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

#### Trade name: AR-P 642 series

		(Contd. of page 5
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

#### · LD/LC50 values relevant for classification:

100-66-3 anisole

Oral LD50 2,800 mg/kg (mouse)

3,700 mg/kg (rat)

· STOT-single exposure May cause drowsiness or dizziness.

· 11.2 Information on other hazards

#### · Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquatic toxicity:

100-66-3	anisole
----------	---------

Inhalative	LC50 (4h)	>65.1 mg/l (rat)
	EC50 (48h)	27 mg/l (daphnia) 47 mg/l (algae) 21 mg/ltr. (algae)
	EC50 (72h)	47 mg/l (algae)
	EC10 (72h)	21 mg/ltr. (algae)
	NOEC	300 mg/ml (Microorganism)

#### · 12.2 Persistence and degradability

100-66-3 anisole 68 %

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

• 12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

(Contd. on page 7)

GB

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

Trade name: AR-P 642 series

(Contd. of page 6)

• **vPvB:** Not applicable.

## · 12.6 Endocrine disrupting properties

*The product does not contain substances with endocrine disrupting properties.* **12.7 Other adverse effects** No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

#### **SECTION 13: Disposal considerations**

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.* 

#### **SECTION 14: Transport information** · 14.1 UN number or ID number · ADR, IMDG, IATA UN2222 • 14.2 UN proper shipping name · ADR 2222 ANISOLE · IMDG, IATA ANISOLE · 14.3 Transport hazard class(es) · ADR, IMDG, IATA 3 Flammable liquids. · Class · Label 3 · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: Not applicable. · 14.6 Special precautions for user Warning: Flammable liquids. · Hazard identification number (Kemler code): 30 F-E,S-D· EMS Number: · Stowage Category A • 14.7 Maritime transport in bulk according to IMO Not applicable. instruments • Transport/Additional information: ·ADR · Limited quantities (LQ) 5L· Excepted quantities (EQ) Code: El Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml (Contd. on page 8) GR

*Printing date 12.12.2021* 

*Version number 1.1 (replaces version 1.0)* 

Revision: 12.12.2021

Trade name: AR-P 642 series

	(Contd. of page
· Transport category	3
• Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities ( $\widetilde{E}Q$ )	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2222 ANISOLE, 3, III

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- VOC (EU) 878.5-959 g/l
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

#### · Disclaimer

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

#### · Relevant phrases

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Department issuing SDS: Quality Management department

· Contact: MSDS authorized Person

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

GB

Printing date 12.12.2021

Version number 1.1 (replaces version 1.0)

Revision: 12.12.2021

Trade name: AR-P 642 series

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 8)

- GB